Contents

No. 1 – 1 – 206 issued August 1999
No. 2 – 207 – 400 issued September 1999
No. 3 – 401 – 588 issued October 1999
No. 4/5 – 589 – 910 issued December 1999
No. 6 – 911 – 1156 issued January 2000

Original Papers

Abad JP → Losada A
Adé J, Belzile F, Philippe H, Doutriaux M-P: Four mismatch repair paralogues coexist in *Arabidopsis thaliana*: *AtMSH2*, *AtMSH3*, *AtMSH6-1* and *AtMSH6-2* 239
Agudo M → Losada A
Alberti A → Lodi T
Altenbuchner J → Rother D
Andermann M → Hoffmann B
Andersen GL → Bogush ML
Araya A → Figueroa P
Arpaia G, Cerri F, Baima S, Macino G: Involvement of protein kinase C in the response of *Neurospora crassa* to blue light 314
Arreguin-Espinoza R → Winter P
Atomi H → Tang X
Auvray F, Coddeville M, Espagno G, Ritzenthaler P: Integrative recombination of *Lactobacillus delbrueckii* bacteriophage mv4: functional analysis of the reaction and structure of the *attP* site 355

Bailey MJA, Hughes C, Koronakis V: In vitro recruitment of the RfaH regulatory protein into a specialised transcription complex, directed by the nucleic acid *ops* element 1052
Baima S → Arpaia G
Balciunas D, Ronne H: Yeast genes *GIS1–4*: multicopy suppressors of the Gal⁻ phenotype of *snf1 mig1 srb8/10/11* cells 589
Banerjee SK, Bhatt K, Misra P, Chakraborti PK: Involvement of a natural transport system in the process of efflux-mediated drug resistance in *Mycobacterium smegmatis* 949
Barbé J → Tapias A
Bathe B → Quast K
Bauer A → Stella CA
Becher D → Entian K-D
Belzile F → Adé J
Belzile F → Jean M
Bender CL → Wang L
Bennoun P, Delosme M: Chloroplast suppressors that act on a mitochondrial mutation in *Chlamydomonas reinhardtii* 85
Berberich T, Sano H, Kusano T: Involvement of a MAP kinase, ZmMPK5, in senescence and recovery from low-temperature stress in maize 534
Berger C → Lepke M
Bhat PJ → Kabir MA
Bhatt K → Banerjee SK
Bindel Connelley M → Shuster JR
Blanco G, Fernández E, Fernández MJ, Braña AF, Weissbach U, Künzel E, Rohr J, Méndez C, Salas JA: Characterization of two glycosyltransferases involved in early glycosylation steps during biosynthesis of the antitumor polyketide mithramycin by *Streptomyces argillaceus* 991
Böck A → Kromayer M
Bogush ML, Velikodvorskaya TV, Lebedev YuB, Nikolaev LG, Lukyanov SA, Fradkov AF, Pliyev BK, Boichenko MN, Usatova GN, Vorobiev AA, Andersen GL, Sverdlov ED: Identification and localization of differences between *Escherichia coli* and *Salmonella typhimurium* genomes by suppressive subtractive hybridization 721
Boichenko MN → Bogush ML
Bojunga N, Entian K-D: Cat8p, the activator of gluconeogenic genes in *Saccharomyces cerevisiae*, regulates carbon source-dependent expression of NADP-dependent cytosolic isocitrate dehydrogenase (Idp2p) and lactate permease (Jen1p) 869
Bollon AP → Mu J-H
Bongaerts J → Wackwitz B
Bonifacino JS → Mullins C
Bonnefoy N, Fox TD: In vivo analysis of mutated initiation codons in the mitochondrial *COX2* gene of *Saccharomyces cerevisiae* fused to the reporter gene *ARG8*^{m} reveals lack of downstream reinitiation 1036
Bonnema G → Haanstra JPW
Borchardt DC → Schneider K
Bormann C → Bruntner C
Braña AF → Blanco G
Braus GH → Hoffmann B
Brendolise C → Rouillard J-M
Brigham J → Roberts NJ
Bruntner C, Lauer B, Schwarz W, Möhrle V, Bormann C: Molecular characterization of co-transcribed genes from *Streptomyces tendae* Tü901 involved in the biosynthesis of the peptidyl moiety of the peptidyl nucleoside antibiotic nikkomycin 102
Bubert A → Köhler R
Bubert B → Köhler R
Butler G → O'Conalláin C
Buttgereit D → Kremser T

Cabrera-Ponce JL → Ruiz-Herrera J
Carmona R → Figueroa P
Carnero A → Culebras E
Carter M → Minko I
Cerri F → Arpaia G
Chakraborti PK → Banerjee SK
Chang MS → Yoo HY
Charizanis C, Juhnke H, Krems B, Entian K-D: The mitochondrial cytochrome *c* peroxidase Ccp1 of *Saccharomyces cerevisiae* is involved in conveying an oxidative stress signal to the transcription factor Pos9 (Skn7) 437
Chen XJ, Clark-Walker GD: α and β subunits of F_1-ATPase are required for survival of petite mutants in *Saccharomyces cerevisiae* 898
Choudhury NR → Singh RA
Christensen T → Petersen KL
Chung K-R, Jenns AE, Ehrenshaft M, Daub ME: A novel gene required for cercosporin toxin resistance in the fungus *Cercospora nicotianae* 382
Clark-Walker GD → Chen XJ
Clutterbuck AJ → Griffith GW
Coddeville M → Auvray F
Conejero V → Gadea J
Corrette-Bennett JC → Funke RP
Courcelle J, Hanawalt PC: RecQ and RecJ process blocked replication forks prior to the resumption of replication in UV-irradiated *Escherichia coli* 543
Crasta OR, Xu WW, Rosenow DT, Mullet J, Nguyen HT: Mapping of post-flowering drought resistance traits in grain sorghum: association between QTLs influencing premature senescence and maturity 579
Crawford NM → Liu D
Cubas F → Moody R
Culebras E, Martínez E, Carnero A, Malpartida F: Cloning and characterization of a regulatory gene of the SARP family and its flanking region from *Streptomyces ambofaciens* 730

Dairi T, Motohira Y, Kuzuyama T, Takahashi S, Itoh N, Seto H: Cloning of the gene encoding 3-hydroxy-3-methylglutaryl coenzyme A reductase from terpenoid antibiotic-producing *Streptomyces* strains 957
Dannat K → Szafranski K
Das HK → Singh RA
Daub ME → Chung K-R
Davis SW → Moody R
Dawes IW → Gurvitz A
Delosme M → Bennoun P
Deutsch JS → Peronnet F
Di Mauro E → Venditti S
di Rago J-P → Rempola B
Di Stefano G → Venditti S
Diamond DC → Fatyol K
Dick T → Murugasu-Oei B
Dickman MB → Truesdell GM
Dingermann T → Szafranski K
Donat V → Hernández JM
Doolin M-T → O'Conalláin C
Doutriaux M-P → Adé J
Downie JA → Schneider A
Dubcovsky J → Tranquilli G

Eckert SE → Hoffmann B
Ehrenshaft M → Chung K-R
Eichinger L → Szafranski K
Ellis THN → Schneider A

Ellis THN → Vershinin AV
Engelmann S → Petersohn A
Entian K-D → Bojunga N
Entian K-D → Charizanis C
Entian K-D, Schuster T, Hegemann JH, Becher D, Feldmann H, Güldener U, Götz R, Hansen M, Hollenberg CP, Jansen G, Kramer W, Klein S, Kötter P, Kricke J, Launhardt H, Mannhaupt G, Maierl A, Meyer P, Mewes W, Munder T, Niedenthal RK, Ramezani Rad M, Röhmer A, Rose M, Schäfer B, Siegler ML, Vetter J, Wilhelm N, Wolf K, Zimmermann FK, Zollner A, Hinnen A: Functional analysis of 150 deletion mutants in *Saccharomyces cerevisiae* by a systematic approach 683
Erlenfeld GE → Fischer W
Espagno G → Auvray F
Etzler ME → Roberts NJ
Ezaki S → Tang X

Fatyol K, Illes K, Diamond DC, Janish C, Szalay AA: Mer22-related sequence elements form pericentric repetitive DNA families in primates 931
Fauquet C → Liu D
Feldmann H → Entian K-D
Fernández E → Blanco G
Fernández MJ → Blanco G
Ferrero I → Lodi T
Figueroa P, Gómez I, Carmona R, Holuigue L, Araya A, Jordana X: The gene for mitochondrial ribosomal protein S14 has been transferred to the nucleus in *Arabidopsis thaliana* 139
Fischer R → Schillberg S
Fischer SEJ, Luenen HGAM van, Plasterk RHA: *Cis* requirements for transposition of Tc1-like transposons in *C. elegans* 268
Fischer W, Schwan D, Gerland E, Erlenfeld GE, Odenbreit S, Haas R: A plasmid-based vector system for the cloning and expression of *Helicobacter pylori* genes encoding outer membrane proteins 501
Foster SJ → Lindsay JA
Fox TD → Bonnefoy N
Fradkov AF → Bogush ML
Franzl E → Kurischko C
Friebel A → Kromayer M
Fujiwara S → Jeon S-J
Fujiwara S → Tang X
Fukushima A → Imazawa Y
Fulton TR, Ibrahim N, Losada MC, Grzegorski D, Tkacz JS: A melanin polyketide synthase (PKS) gene from *Nodulisporium* sp. that shows homology to the *pks1* gene of *Colletotrichum lagenarium* 714
Funke RP, Kovar JL, Logsdon Jr JM, Corrette-Bennett JC, Straus DR, Weeks DP: Nucleus-encoded, plastid-targeted acetolactate synthase genes in two closely related chlorophytes, *Chlamydomonas reinhardtii* and *Volvox carteri*: phylogenetic origins and recent insertion of introns 12
Futamata H → Teramoto M

Gadea J, Conejero V, Vera P: Developmental regulation of a cytosolic ascorbate peroxidase gene from tomato plants 212
Gancedo C → Jiménez M
Gebhardt C → Schneider K
Gerland E → Fischer W
Gessler C → Patocchi A
Geyer A, Schmidt K-H: Genetic organisation of the M protein region in human isolates of group C and G streptococci: two types of multigene regulator-like (*mgrC*) regions 965
Gianfranceschi L → Patocchi A
Giner CP → Hernández JM
Glass C → Schneider K
Glass NL → Smith ML
Glöckner G → Szafranski K
Goday C → Jiménez M
Goebel W → Köhler R
Gómez I → Figueroa P
Gong Z-Z, Yamazaki M, Saito K: A light-inducible *Myb*-like gene that is specifically expressed in red *Perilla frutescens* and presumably acts as a determining factor of the anthocyanin forma 65
Gonzy-Tréboul G → Peronnet F
Goodman SD → Wackwitz B
Götz R → Entian K-D
Griffith GW, Stark MS, Clutterbuck AJ: Wild-type and mutant alleles of the *Aspergillus nidulans* developmental regulator gene *brlA*: correlation of variant sites with protein function 892
Gross R → Middendorf B
Grummt F → Lepke M
Grummt I → Jansa P
Grzegorski D → Fulton TR
Guevara-García A, López-Bucio J, Herrera-Estrella L: The mannopine synthase promoter contains vectorial *cis*-regulatory elements that act as enhancers and silencers 608
Guiard B → Lodi T
Güldener U → Entian K-D
Gurvitz A, Hamilton B, Hartig A, Ruis H, Dawes IW, Rottensteiner H: A novel element in the promoter of the *Saccharomyces cerevisiae* gene *SPS19* enhances ORE-dependent up-regulation in oleic acid and is essential for de-repression 481

Haanstra JPW, Laugé R, Meijer-Dekens F, Bonnema G, Wit PJGM de, Lindhout P: The *Cf-ECP2* gene is linked to, but not part of, the *Cf-4*/*Cf-9* cluster on the short arm of chromosome 1 in tomato 839
Haas R → Fischer W
Hacker J → Köhler R
Hamilton B → Gurvitz A
Han JS, Park JY, Lee YS, Thöny B, Hwang DS: PhoB-dependent transcriptional activation of the *iciA* gene during starvation for phosphate in *Escherichia coli* 448
Hanawalt PC → Courcelle J
Hansen M → Entian K-D
Harayama S → Teramoto M
Hartig A → Gurvitz A
Hartnell LM → Mullins C
Hasegawa K → Tsujimoto H
Hasenpusch-Theil K → Kremser T
Hashimoto J → Umeda M
Hatano S → Takeda Y
Hecker M → Petersohn A
Hegemann JH → Entian K-D
Henderson G → Truesdell GM
Hernández CS → Hernández JM
Hernández JM, Hernández CS, Giner CP, Donat V, Hernández-Yago J: Identification of Ψ3Tom20, a novel processed pseudogene of the human Tom20 gene, and complete characterization of Ψ1Tom20 and Ψ2Tom20 207
Hernández-Yago J → Hernández JM
Herrera-Estrella L → Guevara-García A
Herrera-Estrella L → Ruiz-Herrera J
Herrin DL → Minko I
Higo H → Iwamoto M
Higo K → Iwamoto M
Hilpert M → Jean M
Hinnen A → Entian K-D
Hirano H-Y → Kikuchi K
Hirose T, Kusumegi T, Tsudzuki T, Sugiura M: RNA editing sites in tobacco chloroplast transcripts: editing as a possible regulator of chloroplast RNA polymerase activity 462
Hirozumi K, Nakajima H, Machida M, Yamaguchi M, Takeo K, Kitamoto K: Cloning and characterization of a gene (*arpA*) from *Aspergillus oryzae* encoding an actin-related protein required for normal nuclear distribution and morphology of conidiophores 758
Hisatake K → Imazawa Y
Hodge A, Mendenhall M: The cyclin-dependent kinase inhibitory domain of the yeast Sic1 protein is contained within the C-terminal 70 amino acids 55
Hoehn K → Lepke M
Hoffmann B, LaPaglia SK, Kübler E, Andermann M, Eckert SE, Braus GH: Developmental and metabolic regulation of the phosphoglucomutase-encoding gene, *pgmB*, of *Aspergillus nidulans* 1001
Hollenberg CP → Entian K-D
Holloway SP → Minko I
Holt T → Truesdell GM
Holuigue L → Figueroa P
Horiuchi T → Taki K
Hotta Y → Nara T
Hubbard SP → Smith ML
Hughes C → Bailey MJA
Hüttel B → Winter P
Hwang DS → Han JS

Iarovaia OV → Sjakste N
Ibrahim N → Fulton TR
Illes K → Fatyol K
Imai K → Imazawa Y
Imanaka T → Jeon S-J
Imanaka T → Tang X
Imazawa Y, Imai K, Fukushima A, Hisatake K, Muramatsu M, Nogi Y: Isolation and characterization of the fission yeast gene *rpa42*$^{+}$, which encodes a subunit shared by RNA polymerases I and III 749
Ishihama A → Mitobe J
Ishikawa S, Kawahara S, Sekiguchi J: Cloning and expression of two autolysin genes, *cwlU* and *cwlV*, which are tandemly arranged on the chromosome of *Bacillus polymyxa* var. *colistinus* 738
Ito Y → Nara T
Itoh N → Dairi T

Ivanovska I, Rose MD: *SLG1* plays a role during G1 in the decision to enter or exit the cell cycle 1147
Iwamoto M, Nagashima H, Nagamine T, Higo H, Higo K: A *Tourist* element in the 5′-flanking region of the catalase gene *CatA* reveals evolutionary relationships among *Oryza* species with various genome types 493
Iwamoto N → Umeda M

Jackson K, Söll D: Mutations in a new Arabidopsis cyclophilin disrupt its interaction with protein phosphatase 2A 830
Jackson PK → Wolf DA
Jacobson DJ → Smith ML
Jakimowicz D, Majka J, Lis B, Konopa G, Wegrzyn G, Messer W, Schrempf H, Zakrzewska-Czerwinska J: Structure and regulation of the *dnaA* promoter region in three *Streptomyces* species 1093
Janetzki-Mittmann C → Karch H
Janish C → Fatyol K
Jansa P, Grummt I: Mechanism of transcription termination: PTRF interacts with the largest subunit of RNA polymerase I and dissociates paused transcription complexes from yeast and mouse 508
Jansen G → Entian K-D
Jean M, Pelletier J, Hilpert M, Belzile F, Kunze R: Isolation and characterization of *AtMLH1*, a *MutL* homologue from *Arabidopsis thaliana* 633
Jenns AE → Chung K-R
Jeon S-J, Fujiwara S, Takagi M, Imanaka T: *Pk-cdcA* encodes a CDC48 / VCP homolog in the hyperthermophilic archaeon *Pyrococcus kodakaraensis* KOD1: transcriptional and enzymatic characterization 559
Jeppsson A → Schneider K
Jiménez M, Petit T, Gancedo C, Goday C: The *alm1*$^{+}$ gene from *Schizosaccharomyces pombe* encodes a coiled-coil protein that associates with the medial region during mitosis 921
Johnson CH → Minko I
Jones C → Truesdell GM
Jordana X → Figueroa P
Juhnke H → Charizanis C
Jürgen B → Kaan T

Kaan T, Jürgen B, Schweder T: Regulation of the expression of the cold shock proteins CspB and CspC in *Bacillus subtilis* 351
Kabir MA, Khanday FA, Mehta DV, Bhat PJ: Multiple copies of *MRG19* suppress transcription of the *GAL1* promoter in a *GAL80*-dependent manner in *Saccharomyces cerevisiae* 1113
Kahl G → Winter P
Kalinowski J → Quast K
Kaniak A → Rempola B
Karch H, Schmidt H, Janetzki-Mittmann C, Scheef J, Kröger M: Shiga toxins even when different are encoded at identical positions in the genomes of related temperate bacteriophages 600
Kawahara S → Ishikawa S
Khanday FA → Kabir MA
Kikuchi K, Ueguchi-Tanaka M, Yoshida KT, Nagato Y, Matsusoka M, Hirano H-Y: Molecular analysis of the *NAC* gene family in rice 1047
Kikuchi Y → Sasaki T
Kim K-Y → Lee H-S
Kinghorn JR → Kurtov D
Kitamoto K → Hirozumi K
Klein S → Entian K-D
Kneissl M → Lepke M
Köhler R, Bubert A, Goebel W, Steinert M, Hacker J, Bubert B: Expression and use of the green fluorescent protein as a reporter system in *Legionella pneumophila* 1060
Kölling R → Stella CA
Konopa G → Jakimowicz D
Korch C → Stella CA
Koronakis V → Bailey MJA
Kötter P → Entian K-D
Kovar JL → Funke RP
Kramer W → Entian K-D
Krems B → Charizanis C
Kremser T, Hasenpusch-Theil K, Wagner E, Buttgereit D, Renkawitz-Pohl R: Expression of the β3 *tubulin* gene (β,*Tub60D*) in the visceral mesoderm of *Drosophila* is dependent on a complex enhancer that binds Tinman and UBX 643
Kricke J → Entian K-D
Kröger M → Karch H
Kromayer M, Neuhierl B, Friebel A, Böck A: Genetic probing of the interaction between the translation factor SelB and its mRNA binding element in *Escherichia coli* 800
Krubasik P → Verdoes JC
Kübler E → Hoffmann B
Kubo T → Noguchi S
Kubo T, Nishizawa S, Mikami T: Alterations in organization and transcription of the mitochondrial genome of cytoplasmic male sterile sugar beet (*Beta vulgaris* L.) 283
Kuczwara E → Skórko-Glonek J
Kunze I → Kurischko C
Kunze R → Jean M
Künzel E → Blanco G
Kuo T-T → Su W-C
Kurischko C, Schilhabel MB, Kunze I, Franzl E: The MATA locus of the dimorphic yeast *Yarrowia lipolytica* consists of two divergently oriented genes 180
Kuroki E, Yonesaki T: DNA helicase mutants of bacteriophage T4 that are defective in DNA recombination 525
Kurtov D, Kinghorn JR, Unkles SE: The *Aspergillus nidulans panB* gene encodes ketopantoate hydroxymethyltransferase, required for biosynthesis of pantothenate and Coenzyme A 115
Kusano T → Berberich T
Kusumegi T → Hirose T
Kuzuyama T → Dairi T
Kwak S-S → Lee H-S
Kwan HS → Leung GSW
Kwon S-Y → Lee H-S

Lacroute F → Rouillard J-M
LaPaglia SK → Hoffmann B
Lauer B → Bruntner C
Laugé R → Haanstra JPW
Launhardt H → Entian K-D
Le Gac V → Sjakste N
Le Goff X, Woollard A, Simanis V: Analysis of the *cps1* gene provides evidence for a septation checkpoint in *Schizosaccharomyces pombe* 163
Lebedev YuB → Bogush ML
Lee H-S, Kim K-Y, You S-H, Kwon S-Y, Kwak S-S: Molecular characterization and expression of a cDNA encoding copper/zinc superoxide dismutase from cultured cells of cassava (*Manihot esculenta* Crantz) 807
Lee YS → Han JS
Legrain C → Watrin L
Lehmbeck J → Petersen KL
León-Ramírez C → Ruiz-Herrera J
Lepesant J-A → Peronnet F
Lepke M, Pütter V, Staib C, Kneissl M, Berger C, Hoehn K, Nanda I, Schmid M, Grummt F: Identification, characterization and chromosomal localization of the cognate human and murine *DBF4* genes 220
Leung GSW, Zhang M, Xie WJ, Kwan HS: Identification by RNA fingerprinting of genes differentially expressed during the development of the basidiomycete *Lentinula edodes* 977
Lijavetzky D → Tranquilli G
Lin Y-C → Liu Y
Linares-Cruz G → Sjakste N
Lindhout P → Haanstra JPW
Lindsay JA, Foster SJ: Interactive regulatory pathways control virulence determinant production and stability in response to environmental conditions in *Staphylococcus aureus* 323
Ling F → Senbongi H
Lipinska B → Skórko-Glonek J
Lis B → Jakimowicz D
Liu D, Zhang S, Fauquet C, Crawford NM: The *Arabidopsis* transposon *Tag1* is active in rice, undergoing germinal transposition and restricted, late somatic excision 413
Liu Y, Vidanes G, Lin Y-C, Mori S, Siede W: Characterization of a *Saccharomyces cerevisiae* homologue of *Schizosaccharomyces pombe* Chk1 involved in DNA-damage-induced M-phase arrest 1132
Lodi T, Alberti A, Guiard B, Ferrero I: Regulation of the *Saccharomyces cerevisiae DLD1* gene encoding the mitochondrial protein D-lactate ferricytochrome *c* oxidoreductase by *HAP1* and *HAP2/3/4/5* 623
Logsdon Jr JM → Funke RP
López-Bucio J → Guevara-García A
Losada A, Agudo M, Abad JP, Villasante A: HeT-A telomere-specific retrotransposons in the centric heterochromatin of *Drosophila melanogaster* chromosome 3 618
Losada MC → Fulton TR
Lucas S → Watrin L
Luenen HGAM van → Fischer SEJ
Lukyanov SA → Bogush ML
Lund M → Saloheimo M

Machida M → Hirozumi K
Macino G → Arpaia G
Maierl A → Entian K-D
Majka J → Jakimowicz D
Malpartida F → Culebras E
Mannhaupt G → Entian K-D
Markmann-Mulisch U, Reiss B, Mulisch M: Cell type-specific gene expression in the cell cycle of the dimorphic ciliate *Eufolliculina uhligi* 390
Martínez E → Culebras E
Martínez-Espinoza AD → Ruiz-Herrera J
Matsuoka M → Takeda Y
Matsusoka M → Kikuchi K
Mattes R → Rother D
Mattoon JR → Stella CA
McKeon F → Wolf DA
Mehta DV → Kabir MA
Meijer Dekens F → Haanstra JPW
Mendenhall M → Hodge A
Méndez C → Blanco G
Merlin C → Mouz S
Messer W → Jakimowicz D
Mewes W → Entian K-D
Meyer P → Entian K-D
Micali OC → Smith ML
Middendorf B, Gross R: Representational difference analysis identifies a strain-specific LPS biosynthesis locus in *Bordetella* spp. 189
Migdalski A → Rempola B
Mikami T → Kubo T
Minko I, Holloway SP, Nikaido S, Carter M, Odom OW, Johnson CH, Herrin DL: *Renilla* luciferase as a vital reporter for chloroplast gene expression in *Chlamydomonas* 421
Misra P → Banerjee SK
Mitobe J, Mitsuzawa H, Yasui K, Ishihama A: Isolation and characterization of temperature-sensitive mutations in the gene (*rpb3*) for subunit 3 of RNA polymerase II in the fission yeast *Schizosaccharomyces pombe* 73
Mitsuzawa H → Mitobe J
Möhrle V → Bruntner C
Molina-López JA, Santero E: An artificial enhancer with multiple response elements stimulates prokaryotic transcriptional activation mediated by various regulatory proteins 291
Moody R, Davis SW, Cubas F, Smith WC: Isolation of developmental mutants of the ascidian *Ciona savignyi* 199
Mori S → Liu Y
Motohira Y → Dairi T
Mouz S, Merlin C, Springael D, Toussaint A: A GntR-like negative regulator of the biphenyl degradation genes of the transposon Tn*4371* 790
Mu J-H, Bollon AP, Sidhu RS: Analysis of β-tubulin cDNAs from taxol-resistant *Pestalotiopsis microspora* and taxol-sensitive *Pythium ultimum* and comparison of the taxol-binding properties of their products 857
Muehlbauer FJ → Winter P
Mulisch M → Markmann-Mulisch U
Mullet J → Crasta OR
Mullins C, Hartnell LM, Wassarman DA, Bonifacino JS: Defective expression of the μ3 subunit of the AP-3 adaptor complex in the Drosophila pigmentation mutant *carmine* 401
Munder T → Entian K-D
Muramatsu M → Imazawa Y
Murphy JB → Roberts NJ
Murugasu-Oei B, Tay A, Dick T: Upregulation of stress response genes and ABC transporters in anaerobic stationary-phase *Mycobacterium smegmatis* 677
Muzzi G → Tranquilli G

Nagaki K → Tsujimoto H
Nagamine T → Iwamoto M
Nagashima H → Iwamoto M
Nagato Y → Kikuchi K
Nagl N → Schneider K
Nakajima H → Hirozumi K
Nanda I → Lepke M
Nara T, Saka T, Sawado T, Takase H, Ito Y, Hotta Y, Sakaguchi K: Isolation of a *LIM15/DMC1* homolog from the basidiomycete *Coprinus cinereus* and its expression in relation to meiotic chromosome pairing 781
Neuhierl B → Kromayer M
Nguyen HT → Crasta OR
Nickelsen J: Transcripts containing the 5′ untranslated regions of the plastid genes *psbA* and *psbB* from higher plants are unstable in *Chlamydomonas reinhardtii* chloroplasts 768
Niedenthal RK → Entian K-D
Nikaido S → Minko I
Nikolaev LG → Bogush ML
Nishizawa S → Kubo T
Noegel AA → Szafranski K
Nogi Y → Imazawa Y
Noguchi S, Tajima T, Yamamoto Y, Ohno T, Kubo T: Deletion of a large genomic segment in tobacco varieties that are resistant to potato virus Y (PVY) 822

O'Conalláin C, Doolin M-T, Taggart C, Thornton F, Butler G: Regulated nuclear localisation of the yeast transcription factor Ace2p controls expression of chitinase (*CTS1*) in *Saccharomyces cerevisiae* 275
Odenbreit S → Fischer W
Odom OW → Minko I
Ohno T → Noguchi S

Park JY → Han JS
Patocchi A, Vinatzer BA, Gianfranceschi L, Tartarini S, Zhang H-B, Sansavini S, Gessler C: Construction of a 550 kb BAC contig spanning the genomic region containing the apple scab resistance gene *Vf* 884
Pelletier J → Jean M
Penttilä ME → Saloheimo M
Peronnet F, San Giorgio F, Lepesant J-A, Deutsch JS, Gonzy-Tréboul G: Three-partner conversion induced by the P-element transposase in *Drosophila melanogaster* 1123
Petersen KL, Lehmbeck J, Christensen T: A new transcriptional activator for amylase genes in *Aspergillus* 668
Petersohn A, Engelmann S, Setlow P, Hecker M: The *katX* gene of *Bacillus subtilis* is under dual control of σ^B and σ^F 173
Petit T → Jiménez M
Pfaff T → Winter P
Philippe H → Adé J
Phillips DA → Roberts NJ
Plasterk RHA → Fischer SEJ
Pliyev BK → Bogush ML
Poyser S → Schneider A
Prieur D → Watrin L
Pühler A → Quast K
Purcarea C → Watrin L
Pütter V → Lepke M

Quast K, Bathe B, Pühler A, Kalinowski J: The *Corynebacterium glutamicum* insertion sequence IS*Cg2* prefers conserved target sequences located adjacent to genes involved in aspartate and glutamate metabolism 568

Ramezani Rad M → Entian K-D
Ramos EH → Stella CA
Razin SV → Sjakste N
Reiss B → Markmann-Mulisch U
Rempola B, Kaniak A, Migdalski A, Rytka J, Slonimski PP, di Rago J-P: Functional analysis of *RRD1* (YIL153w) and *RRD2* (YPL152w), which encode two putative activators of the phosphotyrosyl phosphatase activity of PP2A in *Saccharomyces cerevisiae* 1081
Renkawitz-Pohl R → Kremser T
Reuter G → Schotta G
Rho HM → Yoo HY
Ritzenthaler P → Auvray F
Roberts NJ, Brigham J, Wu B, Murphy JB, Volpin H, Phillips DA, Etzler ME: A Nod factor-binding lectin is a member of a distinct class of apyrases that may be unique to the legumes 261
Röhmer A → Entian K-D
Rohr J → Blanco G
Ronne H → Balciunas D
Rose M → Entian K-D
Rose MD → Ivanovska I
Rosenow DT → Crasta OR
Rosenthal A → Szafranski K
Rother D, Mattes R, Altenbuchner J: Purification and characterization of MerR, the regulator of the broad-spectrum mercury resistance genes in *Streptomyces lividans* 1326 154
Rottensteiner H → Gurvitz A
Rouillard J-M, Brendolise C, Lacroute F: Rna14p, a component of the yeast nuclear Cleavage / Polyadenylation Factor I, is also localised in mitochondria 1103
Ruis H → Gurvitz A
Ruiz-Herrera J, León-Ramírez C, Cabrera-Ponce JL, Martínez-Espinoza AD, Herrera-Estrella L: Completion of the sexual cycle and demonstration of genetic recombination in *Ustilago maydis* in vitro 468
Rytka J → Rempola B

Sagan M → Schneider A
Sahi S → Winter P
Saito K → Gong Z-Z
Saka T → Nara T
Sakaguchi K → Nara T
Salamini F → Schneider K

Salas JA → Blanco G
Saloheimo M, Lund M, Penttilä ME: The protein disulphide isomerase gene of the fungus *Trichoderma reesei* is induced by endoplasmic reticulum stress and regulated by the carbon source 35
San Giorgio F → Peronnet F
Sandmann G → Verdoes JC
Sano H → Berberich T
Sansavini S → Patocchi A
Santero E → Molina-López JA
Sasaki T, Toh-e A, Kikuchi Y: Extragenic suppressors that rescue defects in the heat stress response of the budding yeast mutant *tom1* 940
Sasakuma T → Tsujimoto H
Sawado T → Nara T
Schäfer B → Entian K-D
Schäfer-Pregl R → Schneider K
Scheef J → Karch H
Scherrer K → Sjakste N
Schilhabel MB → Kurischko C
Schillberg S, Tiburzy R, Fischer R: Transient transformation of the rust fungus *Puccinia graminis* f. sp. *tritici* 911
Schmid M → Lepke M
Schmidt H → Karch H
Schmidt K-H → Geyer A
Schneider A, Walker SA, Poyser S, Sagan M, Ellis THN, Downie JA: Genetic mapping and functional analysis of a nodulation-defective mutant (*sym19*) of pea (*Pisum sativum* L.) 1
Schneider K, Borchardt DC, Schäfer-Pregl R, Nagl N, Glass C, Jeppsson A, Gebhardt C, Salamini F: PCR-based cloning and segregation analysis of functional gene homologues in *Beta vulgaris* 515
Schotta G, Reuter G: Controlled expression of tagged proteins in *Drosophila* using a new modular P-element vector system 916
Schrempf H → Jakimowicz D
Schuster T → Entian K-D
Schwan D → Fischer W
Schwarz W → Bruntner C
Schweder T → Kaan T
Sekiguchi J → Ishikawa S
Senbongi H, Ling F, Shibata T: A mutation in a mitochondrial ABC transporter results in mitochondrial dysfunction through oxidative damage of mitochondrial DNA 426
Sentoku N → Takeda Y
Setlow P → Petersohn A
Seto H → Dairi T
Sharma PC → Winter P
Shibata T → Senbongi H
Shuster JR, Bindel Connelley M: Promoter-tagged restriction enzyme-mediated insertion (PT-REMI) mutagenesis in *Aspergillus niger* 27
Sidhu RS → Mu J-H
Siede W → Liu Y
Siegler ML → Entian K-D
Simanis V → Le Goff X
Singh RA, Choudhury NR, Das HK: The replication origin of *Azotobacter vinelandii* 1070
Sjakste N, Iarovaia OV, Razin SV, Linares-Cruz G, Sjakste T, Le Gac V, Zhao Z, Scherrer K: A novel gene is transcribed in the chicken α-globin gene domain in the direction opposite to the globin genes 1012
Sjakste T → Sjakste N
Skórko-Glonek J, Zurawa D, Kuczwara E, Wozniak M, Wypych Z, Lipinska B: The *Escherichia coli* heat shock protease HtrA participates in defense against oxidative stress 342
Slonimski PP → Rempola B
Smith ML, Hubbard SP, Jacobson DJ, Micali OC, Glass NL: An osmotic-remedial, temperature-sensitive mutation in the allosteric activity site of ribonucleotide reductase in *Neurospora crassa* 1022
Smith WC → Moody R
Söll D → Jackson K
Springael D → Mouz S
Staib C → Lepke M
Stark MS → Griffith GW
Steinert M → Köhler R
Stella CA, Korch C, Ramos EH, Bauer A, Kölling R, Mattoon JR: The *Saccharomyces cerevisiae LEP1/SAC3* gene is associated with leucine transport 332
Straus DR → Funke RP
Su W-C, Tung S-Y, Yang M-K, Kuo T-T: The *pilA* gene of *Xanthomonas campestris* pv. *citri* is required for infection by the filamentous phage cf 22
Sugiura M → Hirose T
Sverdlov ED → Bogush ML
Szafranski K, Glöckner G, Dingermann T, Dannat K, Noegel AA, Eichinger L, Rosenthal A, Winckler T: Non-LTR retrotransposons with unique integration preferences downstream of *Dictyostelium discoideum* tRNA genes 772
Szalay AA → Fatyol K

Taggart C → O'Conalláin C
Tajima T → Noguchi S
Takagi M → Jeon S-J
Takagi M → Tang X
Takahashi S → Dairi T
Takase H → Nara T
Takeda Y, Hatano S, Sentoku N, Matsuoka M: Homologs of animal *eyes absent* (*eya*) genes are found in higher plants 131
Takeo K → Hirozumi K
Takeuchi J, Toh-e A: Genetic evidence for interaction between components of the yeast 26S proteasome: combination of a mutation in *RPN12* (a lid component gene) with mutations in *RPT1* (an ATPase gene) causes synthetic lethality 145
Taki K, Horiuchi T: The SOS response is induced by replication fork blockage at a *Ter* site located on a pUC-derived plasmid: dependence on the distance between *ori* and *Ter* sites 302
Tang X, Ezaki S, Fujiwara S, Takagi M, Atomi H, Imanaka T: The tryptophan biosynthesis gene cluster *trpCDEGFBA* from *Pyrococcus kodakaraensis* KOD1 is regulated at the transcriptional level and expressed as a single mRNA 815
Tapias A, Barbé J: Regulation of divergent transcription from the *uvrA-ssb* promoters in *Sinorhizobium meliloti* 121
Tartarini S → Patocchi A
Tay A → Murugasu-Oei B
Teramoto M, Futamata H, Harayama S, Watanabe K: Characterization of a high-affinity phenol hydroxylase from *Comamonas testosteroni* R5 by gene cloning, and expression in *Pseudomonas aeruginosa* PAO1c 552
Thöny B → Han JS
Thornton F → O'Conalláin C
Tiburzy R → Schillberg S
Tkacz JS → Fulton TR
Toh-e A → Sasaki T
Toh-e A → Takeuchi J
Toussaint A → Mouz S
Tranquilli G, Lijavetzky D, Muzzi G, Dubcovsky J: Genetic and physical characterization of grain texture-related loci in diploid wheat 846
Truesdell GM, Jones C, Holt T, Henderson G, Dickman MB: A Ras protein from a phytopathogenic fungus causes defects in hyphal growth polarity, and induces tumors in mice 46
Tsudzuki T → Hirose T
Tsujimoto H, Usami N, Hasegawa K, Yamada T, Nagaki K, Sasakuma T: De novo synthesis of telomere sequences at the healed breakpoints of wheat deletion chromosomes 851
Tung S-Y → Su W-C

Uchimiya H → Umeda M
Udupa SM → Winter P
Ueguchi-Tanaka M → Kikuchi K
Ullrich MS → Wang L
Umeda M, Iwamoto N, Umeda-Hara C, Yamaguchi M, Hashimoto J, Uchimiya H: Molecular characterization of mitotic cyclins in rice plants 230
Umeda-Hara C → Umeda M
Unden G → Wackwitz B
Unkles SE → Kurtov D
Usami N → Tsujimoto H
Usatova GN → Bogush ML

van Ooyen AJJ → Verdoes JC
Vega-Palas MA → Venditti S
Velikodvorskaya TV → Bogush ML
Venditti S, Vega-Palas MA, Di Stefano G, Di Mauro E: Imbalance in dosage of the genes for the heterochromatin components Sir3p and histone H4 results in changes in the length and sequence organization of yeast telomeres 367
Vera P → Gadea J
Verdoes JC, Krubasik P, Sandmann G, van Ooyen AJJ: Isolation and functional characterisation of a novel type of carotenoid biosynthetic gene from *Xanthophyllomyces dendrorhous* 453
Vershinin AV, Ellis THN: Heterogeneity of the internal structure of *PDR1*, a family of Ty1*/copia*-like retrotransposons in pea 703
Vetter J → Entian K-D
Vidanes G → Liu Y
Villasante A → Losada A

Vinatzer BA → Patocchi A
Volpin H → Roberts NJ
Vorobiev AA → Bogush ML

Wackwitz B, Bongaerts J, Goodman SD, Unden G: Growth phase-dependent regulation of *nuoA-N* expression in *Escherichia coli* K-12 by the Fis protein: upstream binding sites and bioenergetic significance 876
Wagner E → Kremser T
Walker SA → Schneider A
Wang L, Bender CL, Ullrich MS: The transcriptional activator CorR is involved in biosynthesis of the phytotoxin coronatine and binds to the *cmaABT* promoter region in a temperature-dependent manner 250
Wassarman DA → Mullins C
Watanabe K → Teramoto M
Watrin L, Lucas S, Purcarea C, Legrain C, Prieur D: Isolation and characterization of pyrimidine auxotrophs, and molecular cloning of the *pyrE* gene from the hyperthermophilic archaeon *Pyrococcus abyssi* 378
Weeks DP → Funke RP
Wegrzyn G → Jakimowicz D
Weigand F → Winter P
Weissbach U → Blanco G
Wilhelm N → Entian K-D
Winckler T → Szafranski K
Winter P, Pfaff T, Udupa SM, Hüttel B, Sharma PC, Sahi S, Arreguin-Espinoza R, Weigand F, Muehlbauer FJ, Kahl G: Characterization and mapping of sequence-tagged microsatellite sites in the chickpea (*Cicer arietinum* L.) genome 90
Wit PJGM de → Haanstra JPW
Wolf DA, McKeon F, Jackson PK: Budding yeast Cdc6p induces re-replication in fission yeast by inhibition of SCF^{Pop}-mediated proteolysis 473
Wolf K → Entian K-D
Woollard A → Le Goff X
Wozniak M → Skórko-Glonek J
Wu B → Roberts NJ
Wypych Z → Skórko-Glonek J

Xie WJ → Leung GSW
Xu WW → Crasta OR

Yamada T → Tsujimoto H
Yamaguchi M → Hirozumi K
Yamaguchi M → Umeda M
Yamamoto Y → Noguchi S
Yamazaki M → Gong Z-Z
Yang M-K → Su W-C
Yasui K → Mitobe J
Yonesaki T → Kuroki E
Yoo HY, Chang MS, Rho HM: Heavy metal-mediated activation of the rat Cu/Zn superoxide dismutase gene via a metal-responsive element 310
Yoshida KT → Kikuchi K
You S-H → Lee H-S
Young R → Zhang N

Zakrzewska-Czerwinska J → Jakimowicz D
Zhang H-B → Patocchi A
Zhang M → Leung GSW
Zhang N, Young R: Complementation and characterization of the nested *Rz* and *Rz1* reading frames in the genome of bacteriophage λ 659
Zhang S → Liu D
Zhao Z → Sjakste N
Zimmermann FK → Entian K-D
Zollner A → Entian K-D
Zurawa D → Skórko-Glonek J

CORRIGENDUM

Baik H-K → Preuss SB
Britt AB → Preuss SB
Jiang C-Z → Preuss SB
Kado CI → Preuss SB
Preuss SB, Jiang C-Z, Baik H-K, Kado CI, Britt AB: Radiation-sensitive *Arabidopsis* mutants are proficient for T-DNA transformation 909

Indexed in *Current Contents*, *Index Medicus* and *EMBASE*